## Power Maths White Rose Edition calculation policy





## Power Maths White Rose Edition calculation policy, KS1

The following pages show the *Power Maths White Rose Edition* progression in calculation (addition, subtraction, multiplication and division) and how this works in line with the National Curriculum. The consistent use of the CPA (concrete, pictorial, abstract) approach across *Power Maths White Rose Edition* helps children develop mastery across all the operations in an efficient and reliable way. This policy shows how these methods develop children's confidence in their understanding of both written and mental methods.



## **KEY STAGE 1**

Children develop the core ideas that underpin all calculation. They begin by connecting calculation with counting on and counting back, but they should learn that understanding wholes and parts will enable them to calculate efficiently and accurately, and with greater flexibility. They learn how to use an understanding of 10s and 1s to develop their calculation strategies, especially in addition and subtraction.

**Key language:** whole, part, ones, ten, tens, number bond, add, addition, plus, total, altogether, subtract, subtraction, find the difference, take away, minus, less, more, group, share, equal, equals, is equal to, groups, equal groups, times, multiplied by, divide, share, shared equally, times-table

Addition and subtraction: Children first learn to connect addition and subtraction with counting. but they soon develop two very important skills: an understanding of parts and wholes, and an understanding of unitising 10s, to develop efficient and effective calculation strategies based on known number bonds and an increasing awareness of place value. Addition and subtraction are taught in a way that is interlinked to highlight the link between the two operations. A key idea is that children will select methods and approaches based on their number sense. For example, in Year 1, when faced with 15 - 3 and 15 - 13, they will adapt their ways of approaching the calculation appropriately. The teaching should always emphasise the importance of mathematical thinking to ensure accuracy and flexibility of approach, and the importance of using known number facts to harness their recall of bonds within 20 to support both addition and subtraction methods.

Multiplication and division: Children develop an awareness of equal groups and link this with counting in equal steps, starting with 2s, 5s and 10s. In Year 2, they learn to connect the language of equal groups with the mathematical symbols for multiplication and division.

They learn how multiplication and division can be related to repeated addition and repeated subtraction to find the answer to the calculation. In this key stage, it is vital that children explore and experience a variety of strong images and manipulative representations of equal groups, including concrete experiences as well as abstract calculations.

Children begin to recall some key multiplication facts, including doubles, and an understanding of the 2, 5 and 10 times-tables and how they are related to counting.

**Fractions:** In Year 1, children encounter halves and quarters, and link this with their understanding of sharing. They experience key spatial representations of these fractions, and learn to recognise examples and non-examples, based on their awareness of equal parts of a whole.

In Year 2, they develop an awareness of unit fractions and experience non-unit fractions, and they learn to write them and read them in the common format of numerator and denominator.




| Year 1   |  |  |  |
|--|--|--|--|
|  | Concrete   | Pictorial  | Abstract   |
| Year 1<br>Addition                               |  |  |  |
| Counting and adding more                         | Children add one more person or object to a group to find one more.  | Children add one more cube or counter to a group to represent one more.  | Use a number line to understand how to link counting on with finding one more.   |
|  |  | One more than 4 is 5.  | One more than 6 is 7. 7 is one more than 6.  Learn to link counting on with adding more than one. $0  1  2  3  4  5  6  7  8  9  10$ $0  1  2  3  4  5  6  7  8  9  10$ $0  1  2  3  4  5  6  7  8  9  10$ |
| Understanding<br>part-part-whole<br>relationship | Sort people and objects into parts and understand the relationship with the whole.  The parts are 2 and 4. The whole is 6. | Children draw to represent the parts and understand the relationship with the whole.  The parts are 2 and 4. The whole is 6. | Use a part-whole model to represent the numbers. $ \begin{array}{c} 6 \\ 2 + 4 = 6 \end{array} $   |



| Knowing and finding number bonds within 10                            | Break apart a group and put back together to find and form number bonds. $3+4=7$ $6=2+4$         | Use five and ten frames to represent key number bonds. $5 = 4 + 1$ $10 = 7 + 3$   | Use a part-whole model alongside other representations to find number bonds.  I a series of the parts is zero. |
|---|--|---|--|
| Understanding<br>teen numbers<br>as a complete<br>10 and some<br>more | Complete a group of 10 objects and count more.  13 is 10 and 3 more.                             | Use a ten frame to support understanding of a complete 10 for teen numbers.    10 | 1 ten and 5 ones equal 15.<br>10 + 5 = 15  |
| Adding by counting on   | Children use knowledge of counting to 20 to find a total by counting on using people or objects. | Children use counters to support and represent their counting on strategy.        | Children use number lines or number tracks to support their counting on strategy.                              |







|   |   |   | 7 5 + =  |
|---|---|---|--|
| Finding the difference  | Arrange two groups so that the difference between the groups can be worked out.                                       | Represent objects using sketches or counters to support finding the difference. | Children understand 'find the difference' as subtraction.  |
|   | 7777777<br>18181  |   | 0 1 2 3 4 5 6 7 8 9 10   |
|   | 8 is 2 more than 6.<br>6 is 2 less than 8.<br>The difference between 8 and 6 is 2.                                    | 5-4=1<br>The difference between 5 and 4 is 1.                                   | 10 − 4 = 6<br>The difference between 10 and 6 is 4.  |
| Year 1<br>Multiplication  |   |   |  |
| Recognising<br>and making<br>equal groups                       | Children arrange objects in equal and unequal groups and understand how to recognise whether they are equal.  A  B  C | Children draw and represent equal and unequal groups.                           | Three equal groups of 4. Four equal groups of 3.   |
| Finding the total of equal groups by counting in 2s, 5s and 10s | There are 5 pens in each pack 510152025303540   | 100 squares and ten frames support counting in 2s, 5s and 10s.    1             | Use a number line to support repeated addition through counting in 2s, 5s and 10s.  10 10 10 10 10  10 10 10 10  10 10 10 50 |




| Year 1<br>Division |   |   |   |
|--------------------|---|---|---|
| Grouping           | Learn to make equal groups from a whole and find how many equal groups of a certain size can be made. | Represent a whole and work out how many equal groups.                                   | Children may relate this to counting back in steps of 2, 5 or 10. |
|                    | Sort a whole set people and objects into equal groups.  | 000000000   | 60000 60000   |
|                    | There are 10 children altogether.   | There are 10 in total. There are 5 in each group. There are 2 groups.                   | 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15                             |
|                    | There are 2 in each group. There are 5 groups.  |   |   |
| Sharing            | Share a set of objects into equal parts and work out how many are in each part.                       | Sketch or draw to represent sharing into equal parts. This may be related to fractions. | 10 shared into 2 equal groups gives 5 in each group.              |
|                    |   |   |   |



|                             |   | Year 2  |   |
|-----------------------------|---|---|---|
|                             | Concrete  | Pictorial   | Abstract  |
| Year 2<br>Addition          |   |   |   |
| Understanding<br>10s and 1s | Bundle straws, pencils or pens to understand unitising of 10s.                  | Understand 10s and 1s equipment, and link with visual representations on ten frames.  Represent numbers on a place value grid, using equipment or numerals. | Partition 2-digit numbers into 10s and 1s $ \begin{array}{cccccccccccccccccccccccccccccccccc$ |
| Learn bonds<br>within 10    | Systematically build confidence and fluency in recall of number bonds within 10 | Systematically build confidence and fluency in recall of number bonds within 10   | Systematically build confidence and fluency in recall of number bonds within 10               |








| I know that 2 + 3 = 5.  So, I know that 2 tens add 3 tens is 5 tens.  Add a 2-digit number and 1s  Add the 1s to find the total. Use known bonds within 10.  Add the ones using known bonds  Add the 1s.  Understand the link between counting of and using known number facts. Children should be encouraged to use known   | ens.   | elles of 10                                      |
|--|--|--|
| 1 know that 2 + 3 = 5.   3 tens + 2 tens add 3 tens is 5 tens.   3 + 2 = 5 3 tens + 2 tens = 5 tens 30 + 20 = 50     Add a 2-digit number and 1s   Add the 1s to find the total. Use known bonds within 10.   Add the ones using known bonds   Add the 1s.   Understand the link between counting of and using known number facts. Children should be encouraged to use known   Children and 1s   Ch | ens.   |  |
| So, I know that 2 tens add 3 tens is 5 tens.  I know that 2 + 3 = 5 So, I know that 2 tens add 3 tens is 5 tens.  Add a 2-digit number and 1s  Add the 1s to find the total. Use known bonds within 10.  Add the ones using known bonds  Add the 1s.  Understand the link between counting of and using known number facts. Children should be encouraged to use known   | ens. $ \begin{array}{c} 3 + 2 = 5 \\ 3 \text{ tens} + 2 \text{ tens} = 5 \text{ tens} \\ 30 + 20 = 50 \end{array} $ So, I know that 2 tens add 3 tens is 5 tens. |  |
| Add a 2-digit number and 1s  Add the 1s to find the total. Use known bonds bonds within 10.  Add the 1s to find the total. Use known bonds bonds within 10.  Add the 1s to find the total. Use known bonds and using known number facts. Children should be encouraged to use known  | I know that $2 + 3 = 5$<br>So, I know that 2 tens add 3 tens is 5 tens. $3 + 2 = 5$ $3 tens + 2 tens = 5 tens$ $30 + 20 = 50$                                    |  |
| Add a 2-digit number and 1s  Add the 1s to find the total. Use known bonds  Add the 1s to find the total. Use known bonds bonds within 10.  Add the 1s to find the total. Use known bonds  Add the 1s.  Understand the link between counting of and using known number facts. Children should be encouraged to use known   | So, I know that 2 + 3 = 5<br>So, I know that 2 tens add 3 tens is 5 tens. $30 + 20 = 50$   | Co, Trillow that 2 teris add 5 teris is 5 teris. |
| number and 1s bonds within 10.  Understand the link between counting of and using known number facts. Children should be encouraged to use known   |  |  |
| and using known number facts. Children should be encouraged to use known   |  |  |
| 41 is 4 tens and 1 one. 41 add 6 ones is 4 tens and 7 ones.  | number bonds to improve efficiency and accuracy.    1  |  |
| 1 + 6 = 7  | 1 + 6 = 7  |  |
| So 4 + 5 = 9   | So 4 + 5 = 9   |  |
| 41 + 6 = 47 So   | 41 + 6 = 47 So   |  |
| 34 + 5 = 39  | 34 + 5 = 39  |  |
| Add to the next 10 Use known bonds to 10 to add to the next multiple of 10 Use known bonds to 10 to add to the next multiple of 10 Use known bonds to 10 to add to the next multiple of 10   |  |  |







|                                  | 16 is 1 ten and 6 ones. 30 is 3 tens. There are 4 tens and 6 ones in total. | T O  O  O  O  O  O  O  O  O  O  O  O  O                                 | 16 + 30 = ? $1  ten + 3  tens is 4 tens$ $There  are 4 tens and 6 ones in total.$ $16 + 30 = 46$ Count on in tens from a given number  'Start on 16', '26', '36', '46' $16 + 30 = 46$ |
|----------------------------------|---|---|---|
| Add more 10s<br>then more 1s     | Add on from a 2-digit number by adding tens then ones.                      | Add on from a 2-digit number by adding 10s then 1s.  +10  +2  23  33 35 | Add on from a 2-digit number by adding tens then ones. $23 + 12 = 23 + 10 + 2$  |
| Add the 1s and<br>10s separately | Start on "23", "33", "35"  Add the 10s and 1s separately.  5+3=8            | 23 + 12 = 23 + 10 + 2 Add the 1s and the 10s then recombine             | Add the 10s and 1s separately. $32 + 11$ $30 + 10 = 40$ $2 + 1 = 3$ $32 + 11 = 43$  |



|                              | There are 8 ones in total. $3 + 2 = 5$ There are 5 tens in total. $35 + 23 = 58$   | 3 ones and 4 ones is 7 ones<br>4 tens and 3 tens is 7 tens<br>43 + 34 = 77   |  |
|------------------------------|--|--|--|
| Year 2<br>Subtraction        |  |  |  |
| Subtract two multiples of 10 | Use known number bonds and unitising to subtract multiples of 10.  8 subtract 6 is 2.  So, 8 tens subtract 6 tens is 2 tens. | Use known number bonds and unitising to subtract multiples of 10.  100 30  10 - 3 = 7 So, 10 tens subtract 3 tens is 7 tens. | Use known number bonds and unitising to subtract multiples of 10.  7 2 5 20 50  7 tens subtract 5 tens is 2 tens. 70 - 50 = 20 |
| Subtraction<br>within 20     | Subtraction within 20 Understand when and how to subtract 1s efficiently.  | Subtraction within 20 Understand how to use knowledge of bonds within 10 to subtract efficiently. $5-3=2$ $15-3=12$          | Subtraction within 20 Understand when and how to subtract 1s efficiently.  Use a bead string to subtract 1s efficiently.       |



|   | 5 - 3 = 2<br>15 - 3 = 12   |   | 5 - 3 = 2<br>15 - 3 = 12   |
|---|--|---|--|
| Subtracting<br>10s and 1s                           | Subtracting 10s and 1s For example: 18 – 12  Use ten frames to represent the efficient method of subtracting 12.  First subtract the 10, then subtract 2.  | Subtracting 10s and 1s Use a part-whole model to support the calculation. $ \begin{array}{c c}  & 14 \\ \hline  & 19 - 14 \\ \hline  & 19 - 10 = 9 \\  & 9 - 4 = 5 \\ \hline  & So, 19 - 14 = 5 \end{array} $ | Subtracting 10s and 1s For example: 18 – 12  First subtract the 10, then take away 2.  |
| Subtraction<br>bridging 10<br>using number<br>bonds | Subtraction bridging 10 using number bonds Represent the use of bonds using ten frames.  For 13 – 5, I take away 3 to make 10, then take away 2 to make 8. | Subtraction bridging 10 using number bonds Use a number line and a part-whole model to support the method.  13 - 5  5 6 7 8 9 10 II I2 I3   | Subtraction bridging 10 using number bonds For example: 12 – 7  Arrange objects into a 10 and some 1s, then decide on how to split the 7 into parts.  7 is 2 and 5, so I take away the 2 and then the 5. |



| Subtracting a single-digit number         | Subtract the 1s. This may be done in or out of a place value grid using classroom items to represent the numbers. | Subtract the 1s. This may be done in or out of a place value grid. | Subtract the 1s. Understand the link between counting back and subtracting the 1s using known bonds. |
|---|---|--|--|
|   | T O   | T O  | 9 - 3 = 6<br>39 - 3 = 36   |
|   | "9 ones subtract 3 ones is 6 ones"  | "9 ones subtract 3 ones is 6 ones"                                 |  |
|   | 39 – 3 = 36   | 39 - 3 = 36  |  |
| Subtracting a                             | Bridge 10 by using known bonds.   | Bridge 10 by using known bonds.                                    | Bridge 10 by using known bonds.  |
| single-digit<br>number<br>bridging 10     |   |  | -4<br>16 17 18 19 20 21 22 23 24 25 26   |
|   | 35 - 6<br>I took away 5 counters, then 1 more.  | 35 - 6 First, I will subtract 5, then 1.                           | 24 - 6 = ?<br>24 - 4 - 2 = ?   |
| Subtract tens<br>from a 2-digit<br>number |   | Subtract tens using known bonds                                    | Subtract tens using known bonds  |
|   |   |  | 43 - 10 = 33   |




|   |   | 57 – 10 = 47  |  |
|---|---|---|--|
| Subtract ones from a 2-digit number                   | Subtract the 1s. This may be done in or out of a place value grid.  T O O O O O O O O O O O O O O O O O O | Subtract the 1s. This may be done in or out of a place value grid.  T O O O O O O O O O O O O O O O O O O | Subtract the 1s. Understand the link between counting back and subtracting the 1s using known bonds. $ \begin{array}{cccccccccccccccccccccccccccccccccc$ |
| Subtract tens<br>and ones from<br>a 2-digit<br>number | Subtract 10s then 1s using place value equipment.   | Subtract 10s then 1s with a number line for visual support.  -2 -10 -10 -13 -15 -15                       | Subtract 10s then 1s.<br>25 - 10 - 2 = 13<br>25 - 12 = 13  |



|  | 25 - 10 - 2 = 13 $25 - 12 = 13$   | 25 - 10 - 2 = 13 $25 - 12 = 13$   |  |
|--|---|---|--|
| Subtract ones from a multiple of 10 (preparation | Subtract from a 10 using known bonds to 10 using place value equipment. | Subtract from a 10 using known bonds to 10.                               | Subtract from a 10 using known bonds to 10.          |
| for bridging)                                    | 10 - 3 = 7  | 50 - 2 = 48   | 10 - 3 = 7 $30 - 3 = 27$ $60 - 3 = 57$ $90 - 3 = 87$ |
|  | 30 - 3 = 27   |   |  |
|  | 50 - 3 = 47   |   |  |
| Subtract<br>bridging a ten                       | Subtract in two steps, across a 10 with place value equipment.          | Subtract in two steps, across a 10 with a number line for visual support. | Subtract in two steps, across a 10.                  |
| gg u. 1911                                       | France (analogy)  | Training to though dappoint   | 41 - 6 = 41 - 1 - 5<br>41 - 6 = 35                   |
|  |   |   | 41 - 0 = 30  |







| and support<br>understanding              |   | Agraupa of E. E graupa of E.   | 0 5 10 15 20 25<br>5 x 5 = 25   |
|---|---|--|---|
|   | 4 groups of 5   | 4 groups of 5 5 groups of 5  |   |
| Understanding commutativity               | Use arrays to visualise commutativity.  | Form arrays using counters to visualise commutativity. Rotate the array to show that orientation does not change the multiplication. | Use arrays to visualise commutativity.                                |
|   | I can see 6 groups of 3. I can see 3 groups of 6.   | This is 2 groups of 6 and also 6 groups of 2.  | 4+4+4+4+4=20<br>5+5+5+5=20<br>$4 \times 5 = 20$ and $5 \times 4 = 20$ |
| Learning ×2,<br>×5 and ×10<br>table facts | Develop an understanding of how to unitise groups of 2, 5 and 10 and learn corresponding times-table facts. | Understand how to relate counting in unitised groups and repeated addition with knowing key times-table facts.                       | Understand how the times-tables increase and contain patterns.        |
|   |   | 00000000   |   |
|   |   | 00000000   |   |
|   |   | 0 10 20 30   |   |

## Power Maths White Rose Edition calculation policy




|--|





3 groups of 10 ... 10, 20, 30  $3 \times 10 = 30$ 











10 10 10 10 10

10 10 10 10 10

10 10 10 10 10 10

10 10 10 10 10 10 10

10 10 10 10 10 10 10 10

10 10 10 10 10 10 10 10 10

10 10 10 10 10 10 10 10 10 10

10 10 10 10 10 10 10 10 10 10 10

 $5 \times 10 = 50$ 





| Grouping equally                            | Understand how to make equal groups from a whole.  8 divided into 4 equal groups. There are 2 in each group.                          | Understand the relationship between grouping and the division statements. $12 \div 3 = 4$ $12 \div 4 = 3$ $12 \div 6 = 2$ $12 \div 2 = 6$  | Understand how to relate division by grouping to repeated subtraction.   Implication to repeated subtraction.  Implication to groups of 3. There are 4 groups.  |
|---|---|--|---|
| Using known times-tables to solve divisions | Understand the relationship between multiplication facts and division.  4 groups of 5 cars is 20 cars in total. 20 divided by 4 is 5. | Link equal grouping with repeated subtraction and known times-table facts to support division.  40 divided by 4 is 10.  Use a bar model to support understanding of the link between times-table knowledge and division. | Relate times-table knowledge directly to division. $ \begin{vmatrix} I \times I0 &= I0 \\ 2 \times I0 &= 20 \\ 3 \times I0 &= 30 \\ 4 \times I0 &= 40 \\ 5 \times I0 &= 50 \\ 6 \times I0 &= 60 \\ 7 \times I0 &= 70 \\ 8 \times I0 &= 80 \end{vmatrix} $ I used the I0 times-table to help me. $3 \times I0 = 30$ . $ \begin{vmatrix} I \times I0 &= I0 \\ I \times I0 &= 30 \\ I \times I0 &= 30 \end{vmatrix} $ I when that 3 groups of 10 makes 30, so I know that 30 divided by 10 is 3. $ \begin{vmatrix} I \times I0 &= I0 \\ I \times I0 &= 30 \\ I \times I0 &= 30 \end{vmatrix} $ $ \begin{vmatrix} I \times I0 &= I0 \\ I \times I0 &= 30 \end{vmatrix} $ I when that 3 groups of 10 makes 30, so I know that 30 divided by 10 is 3. |